There were only 5 cases in this subset of the data.

For the purpose of maintaining confidentiality, when the case total is 4 or 5, the HIV/STD Epidemiology Division will only release frequencies for single variables. We will not release crosstabulations of multiple variables.

Variable:	<u>Category:</u>	<u>Ca</u>	se Count (%):
Age Group -	25-29	1	(20.0%)
	30-39	3	(60.0%)
	40-49	1	(20.0%)
	Total	5	(100.0%)
Race/Ethnicity -	Hispanic Total		(100.0%) (100.0%)
Sex -	Male Total		(100.0%) (100.0%)
Adult/Pediatric -	Adult/Adolescent	5	(100.0%)
	Total	5	(100.0%)
Mode of Exposure -	MMS	2	(40.0%)
	Heterosexual Contact	1	(20.0%)
	Not Classified	2	(40.0%)
	Total	5	(100.0%)

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

HSDA = **Uvalde**

There were only 3 cases in this subset of the data.

For the purpose of maintaining confidentiality, when the case total is 1, 2, or 3, the HIV/STD Epidemiology Division will only release the total number of cases. Neither frequencies of single variables, nor crosstabulations of multiple variables, will be released.

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	3		3
Diagnosis		% within Sex	23.1%		18.8%
	25-29	Count	2	1	3
		% within Sex	15.4%	33.3%	18.8%
	30-39	Count	6	2	8
		% within Sex	46.2%	66.7%	50.0%
	40-49	Count	2		2
		% within Sex	15.4%		12.5%
Total	•	Count	13	3	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Race-Ethnicity * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2		2
		% within Sex	15.4%		12.5%
	Hispanic	Count	10	3	13
		% within Sex	76.9%	100.0%	81.3%
	Asian-Pacific Islander	Count	1		1
		% within Sex	7.7%		6.3%
Total		Count	13	3	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4		4
Exposure		% within Sex	30.8%		25.0%
	IDU	Count	1	1	2
		% within Sex	7.7%	33.3%	12.5%
	Heterosexual Contact	Count	4	2	6
		% within Sex	30.8%	66.7%	37.5%
	Not Classified	Count	4		4
		% within Sex	30.8%		25.0%
Total		Count	13	3	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	2
		% within Adult-Ped	12.5%	12.5%
	Hispanic	Count	13	13
		% within Adult-Ped	81.3%	81.3%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	6.3%	6.3%
Total		Count	16	16
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	13	13
		% within Adult-Ped	81.3%	81.3%
	Female	Count	3	3
		% within Adult-Ped	18.8%	18.8%
Total		Count	16	16
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	3		3
Diagnosis		% within Sex	25.0%		20.0%
	25-29	Count	2	1	3
		% within Sex	16.7%	33.3%	20.0%
	30-39	Count	6	2	8
		% within Sex	50.0%	66.7%	53.3%
	40-49	Count	1		1
		% within Sex	8.3%		6.7%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Current Age * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Current	25-29	Count	2	1	3
Age		% within Sex	16.7%	33.3%	20.0%
	30-39	Count	6		6
		% within Sex	50.0%		40.0%
	40-49	Count	4	2	6
		% within Sex	33.3%	66.7%	40.0%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2		2
		% within Sex	16.7%		13.3%
	Hispanic	Count	9	3	12
		% within Sex	75.0%	100.0%	80.0%
	Asian-Pacific Islander	Count	1		1
		% within Sex	8.3%		6.7%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	3		3
Exposure		% within Sex	25.0%		20.0%
	IDU	Count	1	1	2
		% within Sex	8.3%	33.3%	13.3%
	Heterosexual Contact	Count	4	2	6
		% within Sex	33.3%	66.7%	40.0%
	Not Classified	Count	4		4
		% within Sex	33.3%		26.7%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Adult Dad	
			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	2
		% within Adult-Ped	13.3%	13.3%
	Hispanic	Count	12	12
		% within Adult-Ped	80.0%	80.0%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	6.7%	6.7%
Total		Count	15	15
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	12	12
		% within Adult-Ped	80.0%	80.0%
	Female	Count	3	3
		% within Adult-Ped	20.0%	20.0%
Total		Count	15	15
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	25-29	Count	1		1
Diagnosis		% within Sex	12.5%		11.1%
	30-39	Count	3		3
		% within Sex	37.5%		33.3%
	40-49	Count		1	1
		% within Sex		100.0%	11.1%
	50-59	Count	2		2
		% within Sex	25.0%		22.2%
	60-69	Count	1		1
		% within Sex	12.5%		11.1%
	70+	Count	1		1
		% within Sex	12.5%		11.1%
Total		Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1		1
		% within Sex	12.5%		11.1%
	Hispanic	Count	7	1	8
		% within Sex	87.5%	100.0%	88.9%
Total		Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2		2
Exposure		% within Sex	25.0%		22.2%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	11.1%
	Not Classified	Count	6		6
		% within Sex	75.0%		66.7%
Total		Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	1
		% within Adult-Ped	11.1%	11.1%
	Hispanic	Count	8	8
		% within Adult-Ped	88.9%	88.9%
Total		Count	9	9
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	8	8
		% within Adult-Ped	88.9%	88.9%
	Female	Count	1	1
		% within Adult-Ped	11.1%	11.1%
Total		Count	9	9
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Age at Diagnosis * Sex Crosstabulationa

			Sex		
			Male	Female	Total
Age at	25-29	Count	2		2
Diagnosis		% within Sex	25.0%		22.2%
	30-39	Count	3		3
		% within Sex	37.5%		33.3%
	40-49	Count	3		3
		% within Sex	37.5%		33.3%
	70+	Count		1	1
		% within Sex		100.0%	11.1%
Total		Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	Hispanic	Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%
Total		Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	3		3
Exposure		% within Sex	37.5%		33.3%
	IDU	Count	2		2
		% within Sex	25.0%		22.2%
	M-M & IDU	Count	2		2
		% within Sex	25.0%		22.2%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	11.1%
	Not Classified	Count	1		1
		% within Sex	12.5%		11.1%
Total		Count	8	1	9
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	Hispanic	Count	9	9
		% within Adult-Ped	100.0%	100.0%
Total		Count	9	9
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Sex * Adult-Ped Crosstabulation^a

			A alvelt Datal	
			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	8	8
		% within Adult-Ped	88.9%	88.9%
	Female	Count	1	1
		% within Adult-Ped	11.1%	11.1%
Total		Count	9	9
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Uvalde

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1		1
Diagnosis		% within Sex	1.1%		1.0%
	2-4	Count	1		1
		% within Sex	1.1%		1.0%
	5-12	Count	1		1
		% within Sex	1.1%		1.0%
	13-19	Count	1		1
		% within Sex	1.1%		1.0%
	20-24	Count	4	1	5
		% within Sex	4.5%	8.3%	5.0%
	25-29	Count	11	4	15
		% within Sex	12.4%	33.3%	14.9%
	30-39	Count	34	3	37
		% within Sex	38.2%	25.0%	36.6%
	40-49	Count	20	2	22
		% within Sex	22.5%	16.7%	21.8%
	50-59	Count	7		7
		% within Sex	7.9%		6.9%
	60-69	Count	8	1	9
		% within Sex	9.0%	8.3%	8.9%
	70+	Count	1	1	2
		% within Sex	1.1%	8.3%	2.0%
Total		Count	89	12	101
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	20	1	21
		% within Sex	22.5%	8.3%	20.8%
	African American	Count	4	1	5
		% within Sex	4.5%	8.3%	5.0%
	Hispanic	Count	65	10	75
		% within Sex	73.0%	83.3%	74.3%
Total		Count	89	12	101
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	35		35
Exposure		% within Sex	39.3%		34.7%
	IDU	Count	10	1	11
		% within Sex	11.2%	8.3%	10.9%
	M-M & IDU	Count	4		4
		% within Sex	4.5%		4.0%
	Hemophiliac	Count	1		1
		% within Sex	1.1%		1.0%
	Heterosexual Contact	Count	5	9	14
		% within Sex	5.6%	75.0%	13.9%
	Transfusion	Count	4		4
		% within Sex	4.5%		4.0%
	Not Classified	Count	26	2	28
		% within Sex	29.2%	16.7%	27.7%
	Ped Hemophiliac	Count	2		2
		% within Sex	2.2%		2.0%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.1%		1.0%
	Ped Transfusion	Count	1		1
		% within Sex	1.1%		1.0%
Total		Count	89	12	101
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		21	21
		% within Adult-Ped		21.4%	20.8%
	African American	Count		5	5
		% within Adult-Ped		5.1%	5.0%
	Hispanic	Count	3	72	75
		% within Adult-Ped	100.0%	73.5%	74.3%
Total	-	Count	3	98	101
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	3	86	89
		% within Adult-Ped	100.0%	87.8%	88.1%
	Female	Count		12	12
		% within Adult-Ped		12.2%	11.9%
Total		Count	3	98	101
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	2-4	Count	1		1
Diagnosis		% within Sex	2.9%		2.4%
	20-24	Count	2	1	3
		% within Sex	5.7%	16.7%	7.3%
	25-29	Count	5	3	8
		% within Sex	14.3%	50.0%	19.5%
	30-39	Count	15		15
		% within Sex	42.9%		36.6%
	40-49	Count	6	1	7
		% within Sex	17.1%	16.7%	17.1%
	50-59	Count	3		3
		% within Sex	8.6%		7.3%
	60-69	Count	2		2
		% within Sex	5.7%		4.9%
	70+	Count	1	1	2
		% within Sex	2.9%	16.7%	4.9%
Total		Count	35	6	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	13-19	Count	1		1
Age		% within Sex	2.9%		2.4%
	25-29	Count	1		1
		% within Sex	2.9%		2.4%
	30-39	Count	15	4	19
		% within Sex	42.9%	66.7%	46.3%
	40-49	Count	9	1	10
		% within Sex	25.7%	16.7%	24.4%
	50-59	Count	5		5
		% within Sex	14.3%		12.2%
	60-69	Count	2		2
		% within Sex	5.7%		4.9%
	70+	Count	2	1	3
		% within Sex	5.7%	16.7%	7.3%
Total		Count	35	6	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	8	1	9
		% within Sex	22.9%	16.7%	22.0%
	African American	Count	1		1
		% within Sex	2.9%		2.4%
	Hispanic	Count	26	5	31
		% within Sex	74.3%	83.3%	75.6%
Total		Count	35	6	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	13		13
Exposure		% within Sex	37.1%		31.7%
	IDU	Count	3	1	4
		% within Sex	8.6%	16.7%	9.8%
	M-M & IDU	Count	3		3
		% within Sex	8.6%		7.3%
	Heterosexual Contact	Count	3	5	8
		% within Sex	8.6%	83.3%	19.5%
	Not Classified	Count	11		11
		% within Sex	31.4%		26.8%
	Ped Hemophiliac	Count	1		1
		% within Sex	2.9%		2.4%
	Ped Transfusion	Count	1		1
		% within Sex	2.9%		2.4%
Total		Count	35	6	41
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult-Ped		
			Pediatric	Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count		9	9
		% within Adult-Ped		22.5%	22.0%
	African American	Count		1	1
		% within Adult-Ped		2.5%	2.4%
	Hispanic	Count	1	30	31
		% within Adult-Ped	100.0%	75.0%	75.6%
Total		Count	1	40	41
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	1	34	35
		% within Adult-Ped	100.0%	85.0%	85.4%
	Female	Count		6	6
		% within Adult-Ped		15.0%	14.6%
Total		Count	1	40	41
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	2-4	Count	1		1
Diagnosis		% within Sex	2.1%		1.8%
	20-24	Count	5	1	6
		% within Sex	10.6%	11.1%	10.7%
	25-29	Count	7	4	11
		% within Sex	14.9%	44.4%	19.6%
	30-39	Count	21	2	23
		% within Sex	44.7%	22.2%	41.1%
	40-49	Count	7	1	8
		% within Sex	14.9%	11.1%	14.3%
	50-59	Count	3		3
		% within Sex	6.4%		5.4%
	60-69	Count	2		2
		% within Sex	4.3%		3.6%
	70+	Count	1	1	2
		% within Sex	2.1%	11.1%	3.6%
Total		Count	47	9	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Current Age * Sex Crosstabulation^a

			Se	27	
			Male	Female	Total
Current	13-19	Count	1		1
Age		% within Sex	2.1%		1.8%
	25-29	Count	3	1	4
		% within Sex	6.4%	11.1%	7.1%
	30-39	Count	21	4	25
		% within Sex	44.7%	44.4%	44.6%
	40-49	Count	13	3	16
		% within Sex	27.7%	33.3%	28.6%
	50-59	Count	5		5
		% within Sex	10.6%		8.9%
	60-69	Count	2		2
		% within Sex	4.3%		3.6%
	70+	Count	2	1	3
		% within Sex	4.3%	11.1%	5.4%
Total		Count	47	9	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	10	1	11
		% within Sex	21.3%	11.1%	19.6%
	African American	Count	1		1
		% within Sex	2.1%		1.8%
	Hispanic	Count	35	8	43
		% within Sex	74.5%	88.9%	76.8%
	Asian-Pacific Islander	Count	1		1
		% within Sex	2.1%		1.8%
Total		Count	47	9	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	16		16
Exposure		% within Sex	34.0%		28.6%
	IDU	Count	4	2	6
		% within Sex	8.5%	22.2%	10.7%
	M-M & IDU	Count	3		3
		% within Sex	6.4%		5.4%
	Heterosexual Contact	Count	7	7	14
		% within Sex	14.9%	77.8%	25.0%
	Not Classified	Count	15		15
		% within Sex	31.9%		26.8%
	Ped Hemophiliac	Count	1		1
		% within Sex	2.1%		1.8%
	Ped Transfusion	Count	1		1
		% within Sex	2.1%		1.8%
Total		Count	47	9	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		11	11
		% within Adult-Ped		20.0%	19.6%
	African American	Count		1	1
		% within Adult-Ped		1.8%	1.8%
	Hispanic	Count	1	42	43
		% within Adult-Ped	100.0%	76.4%	76.8%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		1.8%	1.8%
Total		Count	1	55	56
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Uvalde

Sex * Adult-Ped Crosstabulation^a

			Adult		
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	46	47
		% within Adult-Ped	100.0%	83.6%	83.9%
	Female	Count		9	9
		% within Adult-Ped		16.4%	16.1%
Total		Count	1	55	56
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Uvalde